CHESAPEAKE SCIENCE

A REGIONAL JOURNAL OF RESEARCH AND PROGRESS ON NATURAL RESOURCES

Volume XV, 1974

MARTIN L. WILEY

Managing Editor

Published By

Natural Resources Institute of the
University of Maryland
Chesapeake Biological Laboratory
Solomons, Maryland
L. E. Cronin, Director

Table of Contents

NUMBER 1, MARCH 1974

MILLER, R. J. Distribution and biomass of an estuarine ctenophore population, <i>Mnemiopsis leidyi</i> (A. Agassiz)	1
THAYER, G. W., D. E. HOSS, M. A. KJELSON, W. F. HETTLER, JR., AND M. W. LACROIX. Biomass of zooplankton in the Newport River estuary and the influence of postlarval fishes	9
Brown, Carolyn. A pigment-producing pseudomonad which discolors culture containers of embryos of a bivalve mollusk	17
MORALES-ALAMO, R., AND D. S. HAVEN. Atypical mouth shape of polyps of the jellyfish, Aurelia aurita, from Chesapeake Bay, Delaware	
Bay, and Gulf of Mexico	30
monticola Dougl.) in Maryland	30
SOMMER, S. E., AND A. J. PYZIK. Geochemistry of middle Chesapeake Bay sediments from upper cretaceous to present	39
Short Papers and Notes	
HARMAN, D. M. Regeneration of foliage in European larches, Larix decidua Mill., after attack by the larch sawfly, Pristiphora erichsonii	
Htg., in Maryland	45
ysis of depuration for soft shelled clams at Newburyport, Massachusetts, and a program for bacteriological standards	49
detergents in Chesapeake Bay	52
Aurelia aurita (Linné), in the Northeastern Gulf of Mexico BOESCH, D. F., AND R. J. DIAZ. New records of peracarid crustaceans	55
from oligohaline waters of the Chesapeake Bay	56
(Sciurus niger cinereus) in Maryland	59
LEE, D. S. A second pigmy shrew from Maryland	60
Review	
The Big Tree Champions of Maryland (by Earl L. Yingling). Reviewed by	
JOHN B. GENYS	61
NUMBER 2, JUNE 1974	
SQUIERS, E. R., AND R. E. GOOD. Seasonal changes in the productivity, caloric content, and chemical composition of a population of salt-marsh	
cord-grass (Spartina alterniflora)	63

GABRIEL, B. C. AND A. A. DE LA CRUZ. Species composition, standing stock, and net primary production of a salt marsh community in	
Mississippi CORY, R. L. Changes in oxygen and primary production of the Patuxent	72
Estuary, Maryland, 1963 through 1969 DEWITT, P., AND F. C. DAIBER. The hydrography of the Murderkill	78
Estuary, Delaware	84
CHITTENDEN, M. E., Jr. Trends in the abundance of American shad, <i>Alosa sapidissima</i> , in the Delaware River Basin	96
BANTA, W. C., AND PAULA M. HOLDEN. Bud size alone does not control zoid row bifurcation in Schizoporella unicornis floridana (Bryozoa, Cheilostomata)	104
	104
Short Papers and Notes	
MIDDAUGH, D. P., AND RUTH L. YOAKUM. The use of chorionic gonadotropin to induce laboratory spawning of the Atlantic croaker, <i>Micropogon undulatus</i> , with notes on subsequent embryonic develop-	
CAMPBELL, R. A., AND T. A. MUNROE. Discovery of the lesser devil ray,	110
Mobula nypostoma, in southern New England waters	114
to fish eggs	115
(Artemia salina) larvae	116
James River, Virginia	118
SULLIVAN, M. J., AND F. C. DAIBER. Response in production of cord grass, Spartina alterniflora, to inorganic nitrogen and phosphorus	120
fertilizer	121
NUMBER 3, SEPTEMBER 1974	
HENNY, C. J., M. M. SMITH, AND V. D. STOTTS. The 1973 distribution and abundance of breeding ospreys in the Chesapeake Bay	125
Chesapeake Bay STOUT, I. J., AND D. E. SONENSHINE. A striped skunk population in Virginia, 1963-69	134
HEINLE, D. R. An alternate grazing hypothesis for the Patuxent Estuary	146
Short Papers and Notes	
RICHARDSON, SALLY LEONARD. Eggs and larvae of the ophichthid eel, Pisodonophis cruentifer, from the Chesapeake Bight, Western North Atlantic	151

ROHDE, F. C., R. G. ARNDT, AND J. C. S. WANG. Additional records of the least brook lamprey, Okkelbergia aepyptera (Abbott), from the	
Delmarva Peninsula	154
choididae) about Solomons, Maryland	155
FAVA, J. A., JR., AND CHU-FA TSAI. The life history of the pearl dace, Semotilus margarita, in Maryland	159
BURGESS, G. H., AND K. A. MACPHERSON. Northern range extension of the plumed scorpionfish, Scorpaena grandicornis (Pisces:	157
Scorpaenidae)	162
Artificial Island	163
light in the larvae of the crab, <i>Uca pugilator</i>	165
KRUCZYNSKI, W. L. Relationship between depth and occurrence of pea crabs, <i>Pinnotheres maculatus</i> , in blue mussels, <i>Mytilus edulis</i> , in the	
vicinity of Woods Hole, Massachusetts	167
classification	170
SIPPLE, W. S., AND R. H. WHEELER. On the presence of three vascular plants, <i>Melothria pendula</i> , <i>Carex extensa</i> , and <i>Aneilema keisack</i> , in	
Maryland MacInnes, J. R., E. W. Rhodes, and A. Calabrese. A new electronic	173
system for counting and measuring bivalve larvae LARSEN, P. F. A remotely operated shallow water benthic suction sampler	174
GODSHALL, F. A., R. L. CORY, AND D. E. PHINNEY. Measurement in a marine environment using low cost sensors of temperature and	1/0
dissolved oxygen	178
Book Reviews	
Oysters. Part N. Volume 3. Mollusca 6. Bivalvia. Treatise on Invertebrate	
Paleontology (by H. B. Stenzel). Reviewed by GORDON GUNTHER	181
Electric Power Plants in the Coastal Zone: Environmental Issues (by John Clark and Willard Brownell). Reviewed by TED S. Y. Koo	182
NUMBER 4, DECEMBER 1974	
SELIGER, H. H., AND M. E. LOFTUS. Growth and dissipation of phyto-	
plankton in Chesapeake Bay. II. A statistical analysis of phytoplankton standing crops in the Rhode and West rivers and an adjacent section of the	
Chesapeake Bay	185
River Estuary, Massachusetts	205

.255

BROOME, S. W., W. W. WOODHOUSE, JR., AND E. D. SENECA. Propagation of smooth cordgrass, <i>Spartina alterniflora</i> , from seed in North Carolina.	214
FALES, J. H. Check-list of the skippers and butterflies of Maryland	222
Short Papers and Notes	
SENECA, E. D. Seedling response to photoperiod and thermoperiod by saltmeadow cordgrass, Spartina patens, from Ocracoke Island, North	
Carolina BLAND, C. E., AND H. V. AMERSON. Occurrence and distribution in	230
North Carolina waters of Lagenidium callinectes Couch, a fungal parasite of blue crab ova	232
POE, T. P., AND DEBORAH C. STEFAN. Several environmental factors influencing the distribution of the freshwater polychaete, <i>Manayunkia</i>	225
Speciosa Leidy HUTCHESON, M. S. The effect of temperature and salinity on cadmium uptake by the blue crab, Callinectes sapidus	235
HARDY, J. D., JR., AND R. K. JOHNSON. Descriptions of halfbeak larvae	
and juveniles from Chesapeake Bay (Pisces: Hemiramphidae)	241
saxatilis, from the Hudson River	246
GALLAGHER, J. L., AND F. C. DAIBER. Oxygen consumption at the soil-water interface in a Delaware salt marsh	248
Brogden, W. B., J. J. Cech, Jr., and C. H. Oppenheimer. A computerized system for the organized retrieval of life history	
information	250

Index to Volume 15



General Index

Barnacle, 232 Cech, J. J., Jr., W. B. Brogden, and larvae, 13 C. H. Oppenheimer, 250-4 Acartia, 13-4 Battus philenor philenor, 224 Celastrina argiolus pseudargiolus, 226 tonsa, 10-11, 146-50 Beroë, 6, 148 Centronotus guennellus, 114 gracilus, 118 ovata, 5-7, 118 B.O.D., 79, 94, 119 Biomass, 1, 3-4, 6, 231 Acer rubrum, 60 Centropages, 13-4 saccharum, 61 spp., 11 Achalarus lyciades, 224 Algal biomass, 147, 150 Centropristis striata, 113 Ceratobatis, 114 Almyracuma, 56 Bivalve larvae, 174-5 mollusks, 17 Cercyonis pegala alope, 227
pegala pegala, 227
Ceurvels, A. R., J. Der Hovanesian,
Jr., E. Piel, and J. Pow, 49-52 proximoculi, 56-8 Alosa aestivalis, 115 pseudoharengus, 115 sapidissima, 96, 115 Aluminum, 43 pathogens, 17 Black sea bass, 113 Bland, C. E., and H. V. Amerson, 232-5 Chaetopterus variopedatus, 167 Chaoborus punctipennis, 56 Blennius pholis, 114
Blue crab, 89, 232, 237, 240
mortality, 238
Boesch, D. F., and R. J. Diaz, 56-9
Bolinopsis, 148
Boloria selene marilandica, 226 Amblyscirtes samoset, 223 Chiridotea almyra, 56, 58 vialis, 223 Chittenden, M. E., Jr. 96-103 Chlamydomonas, 114 Ambrosia artemisiifolia, 74 Amelopsis sp., 74 American eel, 246 Chloramphenicol, 19-21 Chlorella, 114 Chlorophyll a, 146, 188, 194-5, 198, shad, 96-101 abundance, 98, 100 selene myrina, 226 202 catch estimates, 96-8 Amerson, H. V., and C. E. Bland, 232-5 toddi ammiralis, 226 Chlosyne nycteis nycteis, 226 Brevoortia, 12 Chromium, 40 tyrannus, 11 Chrysaora, 22 Anchoa hepsetus, 163 Brine shrimp, 116-7 Brogden, W. B., J. J. Cech, Jr., and C. H. Oppenheimer, 250 hysocella, 28 mitchilli, 11 quinquecirrha, 4-6, 22-8, 118 Ancyloxypha numitor, 224 Aneilema keisack, 173 Chlamydobacterium, 233 Brook lamprey, 154
Broome, S. W., E. D. Seneca, and
W. W. Woodhouse, Jr., 214-Cladocerans, 11 Anionic detergents, 52-4 Clam, 17 Annelid larvae, 11 Asiatic, 118 Anomia simplex, 167 embryos, 17-8, 20 fingernail, 236 21 Anthocaris midea, 225 Brown, Carolyn, 17-21 Apseudes, 57 Brown, M. L., and D. A. Harman, 30-8 hard, 134-6 Aquipecten irradians, 237 Arbacia punctulata, 166 larvae, 19 soft-shell, 49-50 Bryan, B. B., and G. C. Grant, 120-1 Argopecten gibbus, 167 Bryozoan, 104 zoid, 104-9 Cobalt, 40 irradians, 167 Arndt, R. G., F. C. Rohde, and J. C. S. Wang, 154-5 Artemia, 113-14, 166 Coclotanypus sp., 56, 119
Cole, C. F., and F. M. Serchuk,
205-13 Bulrush, 73 Burgess, G. H., and K. A. Mac-pherson, 162-3 Colias cesonia, 224 sp., 165 salina, 116 Butterflies, 222-7 eurytheme eurytheme, 225 philodice philodice, 225 Asiatic clam, 118 Conductivity, 79 Cook, T. M., and C. K. Goldman, 52-5 Aster sp., 74 subulatus, 74 Cadmium, 237-40 tenuifolius, 74 Calabrese, A., J. R. MacInnes, and E. W. Rhodes, 174-6 Copepod nauplii, 188 Asterias vulgaris, 167 Copepods, 11, 13, 146, 148 Asterocampa celtis celtis, 226 Calder, D. R., 170-3 Copper, 40 clyton clyton, 226 Calephelis borealis, 225 Corbicula manilensis, 118-9 Atalopedes campestris, 223 Atlantic croaker, 110–11, 113 spawning, 110 virginiensis, 225 Cornus floridana, 60 Callinectes, 237 sapidus, 232-3, 237 Corophium, 58 aquafuscum, 56-8 Atlides halesus halesus, 225 Callophrys augustinus croesioides, 225 homoceratum, 58 Atrina ridida, 167 serrata, 167 gryneus gryneus, 225 henrici henrici, 225 lacustre, 58 madrasensis, 58 Atrytone delaware delaware, 223 Atrytonopsis hianna hianna, 223 hesseli, 225 multisetosum, 58 irus irus, 225 panamense, 58 Auld, A. H., and J. R. Schubel, 115-6 rioplatense, 58 spinicorne, 58 niphon niphon, 225 Aurelia, 22, 28, 55, 56 aurita, 22-8, 55-6 Calpodes ethlius, 223 Calycopis cecrops, 225 stimpsoni, 58 Cancer irroratus, 237 triaenonyx, 58 Autochion cellus, 224 volutator, 58
Cory, R. L., 78-83
F. A. Godshall, and D. E. Phinney, Carbon, 43, 83, 189 C/N ratio, 13 Bacterium, 17-9, 21 Carcinus maenas, 165, 237 178-81 Bairdiella chrysura, 163
Banta, W. C., and P. M. Holden,
104-9 Carex extensa, 173 Corycaeus spp., 11 Crab, blue, 89, 232, 237, 240 Carya sp., 60, 141

Cassidinidea lurifrons, 58

fiddler, 240

fungal parasite, 232-3 zoea, 11, 13 Crabs, 167-9 Crassostrea, 182 virginica, 17, 21, 237 Creek chub, 159 Crinum americanum, 74 Cruz, A. A. de la, and B. C. Gabriel, Ctenophore, 1, 4-7, 116-8, 146-7, 150 biomass, 1, 6 spawning, 4 Cunner, 205-12 adults, 206 age, 205-8 growth rate, 210-11 juveniles, 206 length-weight relation, 208 mortality, 209-10 scales, 206-8 Cyanea, 22 capillata, 22-28, 118 Cyathura polita, 58 Cyclaspsis pustula, 57 varians, 57 Cymadusa compta, 58 Cynoscion regalis, 163 Cynthia cardui, 226 virginiensis, 226 Cyperus odoratus, 74 Cyprinus carpio, 119

Daiber, F. C., and P. deWitt, 84-95 and J. L. Gallager, 248-50 and M. J. Sullivan, 121-3
Danaidae, 227
Danaus plexippus plexippus, 227
Daphnia, 12-3
Delmarva fox squirrel, 59-60
Detergent decomposition, 53-4
deWitt, P., and F. C. Daiber, 84-95
Diastylis, 57, 76-7
polita, 57
rathkei, 57
Diaz, R. J., 118-20
and D. F. Boesch, 56-9
Diel oxygen change curve, 79, 81
Dinoflagellate, 8, 188, 194
Dissolved oxygen, 79-80, 85-6, 90-1, 99, 178-80, 236
Distichlis spicata, 73-4, 76-7, 122
Ditylum brightwellii, 122
Dugesia tigrina, 119

D

Eastern white pine, 31, 35–6
Edotea triloba, 58
Eel grass, 163
Electrophoresis, 246
Eleocharis cellulosa, 74
intermedia, 74
Energy, 12–3
Epargyreus clarus clarus, 224
Erynnis baptisiae, 224
brizo brizo, 224
horatius, 224
icelus, 224
juvenalis juvenalis, 224
lucilius lucilius, 224

martialis, 224 persius persius, 224 zarucco zarucco, 224 Etheostoma olmstedi, 161 Euchloe olympia olympia, 225 Euchlora rubra, 170 Eucinostomus gula, 163 Euleptorhamphus velox, 241 Euphydryas phaeton phaeton, 226 Euphyes bimacula, 223 conspicua conspicua, 223 dior alabamae, 223 vestris metacomet, 223 Euptoieta claudia, 227 Euptychia cymela cymela, 227 hermes sosybius, 227 Eurema daira daira, 224 nicippe, 224 Euristrymon ontario ontario, 225 Eurmea lisa, 225 European eel, 246 Eurydice, 227 Euterpina, 13-4 acutifrons, 11 Evadne nordmanni, 120 spinifera, 120 tergestina, 120 Everes comyntas comyntas, 225 Exuviella sp., 188

F

Fabia subquadrata, 168 Fales, J. H., 222-9 Fall fish, 159 Fava, J. A., Jr., C. F. Tsai, 159-62 Fecal coliforms, 50 Feniseca tarquinius tarquinius, 225 Fiddler crabs, 240 Fimbristylis caroliniana, 74 castanea, 74 Fingernail clam, 236 Fish 14 abundance, 14 American eel, 246 American shad, 96-101 Atlantic croaker, 110-1, 113 black sea bass, 113 brook lamprey, 154 creek chub, 159 cunner, 205-12 European eel, 246 fall fish, 159 halfbeak, 241, 245 larvae, 113-4 lesser devil ray, 114 menhaden, 14 mummichog, 238 oyster toadfish, 156-8 pearl dace, 159 pinfish, 14 plumed scorpionfish, 162 snake eel, 151 spot, 14, 111 striped bass, 113, 246 striped mullet, 113 Flounder post larvae, 11 Flustra membranacea, 105 Flyger, V., and G. Taylor, 59-60 Fraxinus americana, 60 Fundulus heteroclitus, 237-8 majalis, 163

Gabriel, B. C., and A. A. de la Cruz, 72-7 Gadus morhua, 246 Gallagher, J. L., and F. C. Daiber, 248-50 Gammarus daiberi, 56, 58 fasciatus, 58 mucronatus, 58 palustris, 58 tigrinus, 58 Gastropods, 11 Genys, J. B., 61 Geograpsus lividus, 165 Giant cordgrass, 73 Glaucopsyche lygdamus nittanyensis, 226 Godshall, F. A., R. L. Cory, and D. E. Phinney, 178-81 Goldman, C. K., and T. M. Cook, 52-5 Good, R. E., and E. R. Squiers, Grant, G. C., and B. B. Bryan, 120-1 Graphium marcellus, 224 Gunter, G., 182 Gymnodinium nelsoni, 194, 196-8

H

Halfbeak, 241, 245 larvae, 242-5 prejuveniles, 245 Hard clam, 134-6 abundance, 136, 138 catch, 136 Hardy, J. D., Jr., and R. K. Johnson, 241-6 Hamamelis virginiana, 60 Harkenclenus titus mopsus, 225 titus titus, 225 Harman, D. M., and M. L. Brown, 30-8 30-8 Harman, D. M., 45-9 Haven, D. S., and R. Morales-Alamo, 22-9 Heavy metals, 39, 43 Heinle, D. R., 146-50 Hemiramphus brasiliensis, 241-3, 245 Henny, C. J., M. M. Smith, and V. D. Stotts, 125-33 Hesperia legnograps, 223 Hesperia leonardus, 223 metea, 223 sassacus sassacus, 223 Hesperiidae, 223 Hettler, W. F., Jr., see Thayer, G. W. Hickory, 141 Hitron, J. W., 246-7 Holden, P. M., and W. C. Banta, 104-9 sassacus sassacus, 223 Homarus americanus, 237 Hoss, D. E., see Thayer, G. W. Hovanesian, J. Der, Jr., A. R. Ceurvels, E. Piel, and J. Pow, 49-52 Hutcheson, M. S., 327-41 Hydrogen, 43 Hylephila phyleus, 224 Hyotissa, 182 Hyporhamphus sp., 242-5 unifasciatus, 163, 241-2

Ilyodrilus templetoni, 56 Iphinoe maeotica, 57 sanguinea, 57 Ipoema sagittaria, 74 Iris virginica, 74 Iron, 40-3 Isocrysis, 114
Iva frutescens, 74

Jellyfish, 146-7, 150 feeding rate, 4
Johnson, D. F., 165-7
Johnson, R. K., and J. D. Hardy, Jr.,
241-6 Juglans nigra, 61 Juncus, 76-7 effusus, 74 gerardi, 122 roemerianus, 72-7 Junonia coenia coenia, 226

Kjelson, M. A., see Thayer, G. W. Koo, T. S. Y., 182-3 Kruczynski, W. L., 167-9

Labidesthes, 13 sicculus, 13 LaCroix, M. W., see Thayer, G. W. Lagenidium callinectes, 232-4 Lagodon, 12 rhomboides, 11, 163 lagopus scoticus, 144 Larch sawfly, 44-5, 49 Larix decidua, 45 Larsen, P. F., 176-8 Larval fish, 9-11, 13-15 Lead, 40 Leiostomus, 12 xanthurus, 11, 110-1, 163 Lepidactylus dytiscus, 58 Lepomis, 13 macrochirus, 240
Leptocephalus mucronaius, 151
Leptocheirus plumulosus, 58
Leptochelia, 57
rapax, 56-8 savignyi, 57 Leptocuma minor, 57 Lerema accius, 224 Lerodea eufala, 223 Lesser devil ray, 114 Lethe, 227 anthedon, 227 appalachia, 227 portlandia portlandia, 227 Leucon americanus, 56-8 Leucothrix mucor, 233 Libinia dubia, 233-4 Libytheana bachmanii bachmanii, 226 Libytheidae, 226 Life history data bank, 253 Lilaeopsis chinensis, 74 Limenitis archippus archippus, 226 arthemis arthemis, 226 arthemis astyanax, 226

Limnodrilus sp., 56, 119 cervix, 56, 119 Linuche, 170 unguiculata, 170-2 Liriodendron tulipifera, 60

Lironeca, 163 amurensis, 164 convexa, 164 ovalis, 163-4 puni, 164

Loesch, J. G., 134-9 Loftus, M. E., and H. H. Seliger, 185-204

Lycaena phlaeas, 225 thoe, 225 Lycaenidae, 225 Lythrum lineare, 74

MacInnes, J. R., A. Calabrese, and E. W. Rhodes, 174-6 Macpherson, K. A., and G. H. Bur-gess, 162-3 Magnolia macrophylla, 61

Manayunkia speciosa, 235-6 Manta, 114 Mancocuma altera, 57 McGraw, K. A., 55-6 Melita nitida, 58 Melothria pendula, 173 Membranipora membranacea, 105

Menhaden, 14 Menidia menidia, 11, 163 Menippe mercenaria, 233-4 Mephitis mephitis, 140, 143-4 Mercenaria mercenaria, 17, 134, 174-

Merluccius productus, 246 Micropogon undulatus, 110 Microsorex hoyi, 60 Miller, R. J., 1–8 Mnemiopsis, 1, 116, 146, 148 leidyi, 1–2, 4–8

mccradyi, 3, 148 Mobula hypostoma, 114-5 mobular, 114

Modiolus americanus, 167 modiolus, 167-8 Monacanthus hispidus, 163 Monoculodes edwardsi, 58

Moon jellyfish, 55 Morales-Alamo, R., and D. S. Haven

22-9 Morone, 246 americana, 115, 163-4 chrysops, 246 labrax, 246 saxatilis, 113, 163-4 Morus nigra, 61 Mugil cephalus, 113

Mummichog, 238 Mussels, 167-8 Mustela frenata, 60 Mya arenaria, 49, 167 Myrophis punctatus, 11 Mytilus edulis, 167

Nastra therminier, 224 Needlerush, 73 Nematocysts, 170-2

Nemopsis bachei, 5 Neomycin, 19-21 Neomysis americana, 58 Nickel, 40 Nitrogen, 94, 122-3 Nymphalidae, 226 Nymphalis antiopa antiopa, 226

milberti milberti, 226 vau-album j-album, 226

Oithona spp., 11 Okkelbergia, 154 aepyptera, 154-5 Olencira praegustator, 164
Oppenheimer, C. H., W. B. Brogden, and J. J. Cech, Jr., 250-4 Opsanus tau, 156 Orchestia grillus, 58 Organic biomass, 66 Osprey, 125, 128, 130-2 nests, 126-8 population, 126-8 Ostracods, 11 Ostrea, 182 Oxygen, 79, 81, 83 consumption, 14, 248-9 Oxyria digyna, 68 Oxyurostylis smithi, 57 Oyster, 21 toadfish, 156-8

Panicum amarulum, 74 virgatum, 74 Panne, 249 Panopeus herbstii, 233-4 Panoquina ocola, 223 panoquin, 223 Panthiades m-album, 225 Papilio cresphontes cresponntes, 224 cresphontes pennsylvanicus, 224 glaucus glaucus, 224 palamedes, 224 polyxenes asterius, 224 troilus troilus, 224 Papilionidae, 224
Paradiastylis culicoides, 57 Paralichthys spp., 11 Pearl dace, 159 Pelecypods, 11 Peloscolex multisetosus, 56, 119 Peneaus setiferus, 110 Penilia avirostris, 120 Peromyscus leucopus, 60 Petromyzon marinus, 154 pH, 86, 91, 236 Phinney, D. E., R. L. Cory, and F. A. Godshall, 178-81 Phoebis sennae eubule, 224 Phosphorus, 94, 122-3 Phosphorus, 230, 2 Photoperiod, 230-2 Photosynthesis, 67, 82 Phragmites communis, 74 Phycoides batesii, 226 tharos tharos, 226 Phytoplankton, 148, 150, 185-8, 192-

8, 202-3 standing crop, 196, 201-2 Piel, E., A. R. Ceurvels, J. Der Hovanesian, Jr., and J. Pow,

49-52

Pieridae, 224 Pieris protodice protodice, 224 rapae, 224 virginiensis, 224 Pigmy shrew, 60 Pinfish, 14 larvae, 11, 14 Pinnotheres, 167 maculatus, 167-8 ostreum, 168 pisum, 168 Pinus monticola, 31, 34 strobus, 30, 60 virginiana, 141 Pisodonophis cruentifer, 151-4 Pissodes strobi, 30 Pleurobrachia, 148 pileus, 118 Pleurocera, 236 Pleuronectes platessa, 246 Plumed scorpionfish, 162 Poanes aaroni aaroni, 223 hobomok, 223 massasoit hughi, 223 viator zizaniae, 223, 227 zabulon, 223 Podon intermedius, 120-1 leuckarti, 120 polyphemoides, 120 Poe, T. P., and D. C. Stefan, 235-7 Polites coras, 223 mystic, 223 origines origines, 223 themistocles, 223 Polygonia comma, 226 interrogationis, 226 progne, 226 Polyp mouth shape, 24, 26, 28 Polystichum acrostichoides, 60 Pomatomas saltatrix, 163-4 Pompeius verna, 223
Population biomass, 1, 3
Pow, J., A. R. Ceurvels, J. Der
Hovanesian, Jr., and E. Piel, 49-52 Pristiphora erichsonii, 45 Pristis pectinata, 163, 4 Prorocentrum, 198, 203 minimum, 188, 194, 196 Pseudomonas sp., 17–21 Pycnodonte, 182 Pyrgus centaureae wyandot, 224 communis communis, 224
Pyzik, A. J., and S. E. Sommer, 39-44 Quercus sp., 60, 41

Quercus sp., 60, 41 alba, 61 bicolor, 61 falcata, 61 prinus, 60

Rangia cuneata, 119
Rhithropanopeus, 165
harrisi, 165
Rhodes, E. W., A. Calabrese, and
J. R. MacInnes, 174-6
Rhus radicans, 60
Richardson, S. L., 151-4

Riodinidae, 225 Rohde, F. C., R. G. Art J. C. S. Wang, 154-5 R. G. Arndt, and Ruppia, 158 S Saccostrea, 182 commercialis, 182 cucullata, 182 margaritacea, 182 Sadzikowski, M. R., and D. C. Wallace, 163-5 Sagitta, 11 Sagitta, 11
Sagittaria falcata, 74
Salinity, 3, 6, 80, 85-7, 92, 94, 179, 187, 191, 193, 196-7, 230, 237-8, 240-1 tolerance, 8
Salt grass, 73
marsh, 84-5, 121, 214
cordgrass, 63, 66
grass, 214
seed, 214-21
marshes, 230 marshes, 230 Salvelinus fontinalis, 246 Saprolegnia, 115 Satyridae, 227 Satyrium calanus falacer, 225 caryacuorus, 225 edwardsii, 225 liparops strigosa, 225 Schizoporella unicornis floridana, 104, 106 Schubel, J. R., and A. H. Auld, 115-6 Schwartz, F. J., 155-9 Scirpus, 68, 76-7 sp., 74 americanus, 73-4, 76-7 californicus, 74 olneyi, 74 robustus, 74 validus, 74 Sciurus carolinensis, 59 niger bryanti, 59 niger neglectus, 59 Scorpaena grandicornis, 162-3 Scottolana canadensis, 147 Scyphistomae, 22-3, 26-8 polyps, 22-4, 26-8 Sedimentation, 39 Selar crumenophthalmus, 163 Seliger, H. H., and M. E. Loftus, 185-204 Semotilus, 161 atromaculatus, 159-61 corporalis, 159-61 margarita, 159-62 margarita koelzi, 159 margarita margarita, 159 margarita nachtriebi, 159 Seneca, E. D., 230-2 S. W. Broome, and W. W. Wood-house, Jr., 214-21 Serchuk, F. M., and C. F. Cole, 205-13 Sesarma reticulatum, 165 Shellfish, 50 hatcheries, 17 Shrimp zoea, 11 Sipple, W. S., and R. H. Wheeler, 173 - 4

Skippers, 222-7 Skippers, 222-7 Smilax sp., 60 Smith, M. M., C. J. Het V. D. Stotts, 125-33 Snake eel, 151 Soft-shell clam, 49-50 C. J. Henny, and Solidago sempervirens, 74 Sommer, S. E., and A. J. Pyzik, 39-44 Scnenshine, D. E., and I. J. Stout, 140-5 Sorex cinereus, 60 Spartina, 63, 67–9, 76–7, 214, 249 alterniflora, 63–70, 72, 74, 77, 94, 121–3, 214–21, 248 patens, 64, 74, 122, 230, 232 townsendii, 214–5, 218 Speveria aphyodite, 236 Speyeria aphrodite aphrodite, 226 atlantis atlantis, 226 cybele cybele, 226 diana, 226 idalia, 226 Sphaerium, 236 Sphaeroma quadridentatum, 58 Sponges, 234
Spot, 14, 111
Squiers, E. R., and R. E. Good, 63–
71 Staphylus mazans hayhurstii, 224 Steam electric station, 78
Stefan, C. E., and T. P. Poe, 235-7
Stenotomus chrysops, 163-4 Stictochironomus nr. devinctus, 56 Stomolophus meleagris, 172
Stotts, V. D., C. J. Henny, and M.
M. Smith, 125-33
Stout, I. J., and D. E. Sonenshine, Striped bass, 113, 246 phenotypes, 246-7 serum transferin, 246-7 Striped mullet, 113 Striped skunk, 140-5 abundance, 141 sex ratio, 143 Strymon melinus humuli, 225 melinus melinus, 225 Sullivan, M. J., and F. C. Daiber, 121-3 Suspended sediments, 39 Sylvilagus floridanus, 60 Syngnathus spp., 11 Syphistomae medusa, 23, 26 Talorchestia longicornis, 58 Tamias striatus, 60 Tomiascurus hudsonicus, 60

Talorchestia longicornis, 58
Tamias striatus, 60
Tomiascurus hudsonicus, 60
Tanais stanfordi, 57
Tautogolabrus adspersus, 205
Taxodium distichum, 128
Taylor, G., and V. Flyger, 59-60
Temora spp., 11, 13-4
Temperature, 4-6, 79-80, 85-6, 90, 100, 178-9, 191, 193, 230, 232, 236, 238, 241
salinity interaction, 237
tolerance, 4, 8
Thayer, G. W., D. E. Hoss, M. A. Kjelson, W. F. Hettler, Jr., and M. W. LaCroix, 9-16
Thermoperiod, 230-2

Thorybes bathyllus, 224 confusis, 224 pylades, 224 pylades, 224 Thraustochytrium, 233 Thymelicus lineola, 224 Titanium, 43 Tsai, Chu-fa, and J. A. Fava, Jr. 159-62 Turbidity, 79-80, 91 Typha latifolia, 68-9

Uca pugilator, 165-7, 237, 240 Urbanus proteus, 224 Urnatella gracilis, 56

Vanadium, 40

Vanessa, 227 atlanta rubria, 226 Vibrio, 17 Virginia pine, 141

Wallace, D. C., and M. R. Sadzi-kowski, 163-6 Wallengrenia, 227 egeremet, 223 otho, 223 Wang, J. C. S., R. G. Arndt, and F. C. Rohde, 154-5 Ward, W. W., 116-8 Western white pine, 31, 34-6 Wheeler, R. H., and W. S. Sipple, 173-4 White perch, 164-5

White perch, 164-5

pine, 30-1, 33, 36-7 weevil, 30-1 Woodhouse, W. W., Jr., S. W. Broome, and E. D. Seneca, 214-21

Z Zapus hudsonius, 60
Zinc, 40
Zizaniopsis miliaceae, 74
Zooplankton, 9-13
abundance, 13-5
biomass, 9, 11-12
energy, 13-4
species composition, 10
standing crop. 10, 14-5 standing crop, 10, 14-5 Zostera, 158 marina, 163



